

Meclizine Dosage Chart for Dogs by Weight

Dog Weight	Weight in kg	Suggested Meclizine Dose	Frequency
5–10 lbs	2.3–4.5 kg	12.5 mg	Every 24 hours
11–20 lbs	5.0–9.1 kg	12.5 mg	Every 24 hours
21–30 lbs	9.5–13.6 kg	12.5–25 mg	Every 24 hours
31–40 lbs	14.1–18.1 kg	25 mg	Every 24 hours
41–50 lbs	18.6–22.7 kg	25 mg	Every 24 hours
51–60 lbs	23.1–27.2 kg	25–37.5 mg	Every 24 hours
61–70 lbs	27.7–31.8 kg	37.5 mg	Every 24 hours
71–80 lbs	32.2–36.3 kg	37.5 mg	Every 24 hours
81–90 lbs	36.7–40.8 kg	37.5–50 mg	Every 24 hours
91–100 lbs	41.3–45.4 kg	50 mg	Every 24 hours
101–120 lbs	45.9–54.4 kg	50 mg	Every 24 hours
Over 120 lbs	Over 54.4 kg	50 mg	Every 24 hours

Notes

- Always have your veterinarian verify the formula/brand (plain Meclizine only) and dose before administration.
- This chart uses a common veterinary range of 12.5–50 mg/dog, PO, given once daily as a general guideline for motion sickness or vestibular symptoms in dogs.
- For many dogs, veterinarians commonly use around 25 mg once daily as a starting dose, adjusting upward by weight and clinical response.
- Supply tablets are typically 12.5 mg, 25 mg, 30 mg, and 50 mg, requiring tablet splitting for precise dosing.
- Give Meclizine 30–60 minutes before travel or symptom onset for best effects.

Meclizine 12.5 mg, 25 mg, 30 mg, 50 mg Dosage Chart for Dogs by Weight

Dog Weight	Weight in kg	12.5 mg Tablets	25 mg Tablets	30 mg Tablets	50 mg Tablets
5–10 lbs	2.3–4.5 kg	1 tablet	½ tablet	—	—
11–20 lbs	5.0–9.1 kg	1 tablet	½ tablet	½ tablet	¼ tablet
21–30 lbs	9.5–13.6 kg	1–2 tablets	½–1 tablet	½ tablet	¼ tablet
31–40 lbs	14.1–18.1 kg	2 tablets	1 tablet	1 tablet	½ tablet
41–50 lbs	18.6–22.7 kg	2 tablets	1 tablet	1 tablet	½ tablet
51–60 lbs	23.1–27.2 kg	—	1 tablet	1 tablet	½ tablet
61–70 lbs	27.7–31.8 kg	—	1½ tablets	1½ tablets	½ tablet
71–80 lbs	32.2–36.3 kg	—	1½ tablets	1¼ tablets	¾ tablet
81–90 lbs	36.7–40.8 kg	—	1½ tablets	1¼ tablets	¾ tablet
91–100 lbs	41.3–45.4 kg	—	2 tablets	1■ tablets	1 tablet
101–120 lbs	45.9–54.4 kg	—	2 tablets	1■ tablets	1 tablet
Over 120 lbs	Over 54.4 kg	—	2 tablets	1■ tablets	1 tablet

Meclizine 25 mg Tablets (Bonine®, Antivert®, Bonamine®)

Dosage Chart for Dogs

Dog Weight	Dog Weight (kg)	Meclizine 25 mg Tablet Dose	Amount of Meclizine
Under 10 lbs	Under 4.5 kg	$\frac{1}{4}$ – $\frac{1}{2}$ tablet	6.25–12.5 mg
10–20 lbs	4.5–9.1 kg	$\frac{1}{2}$ –1 tablet	12.5–25 mg
Over 20 lbs	Over 9.1 kg	1 tablet	25 mg

Veterinary-use disclaimer: This educational chart is not a substitute for veterinary diagnosis or a prescription. Meclizine use and dosing should be confirmed with a veterinarian.

Credit: **Meds Dog** — <https://medsdog.com>